8TH FLOOR 1100 NORTH GLEBE ROAD ARLINGTON, VIRGINIA 22201-4714 TELEPHONE: (703) 816-4000 FACSIMILE: (703) 816-4100 WRITER'S DIRECT DIAL NUMBER:

FACSIMILE COVER SHEET PLEASE DELIVER IMMEDIATELY!!!!

Our Ref.:	227-142 Date: 8-31-04
Your Ref.:	Date.
To: Firm: Facsimile No.:	Examiner Sakelaris Art Unit 1634 571-272-0748 703-872-9306
From:	Mike Keenan
Number of Pages (including cover sheet): (IF YOU DO NOT RECEIVE ALL OF THE PAGES OR ENCOUNTER DIFFICULTIES IN TRANSMISSION, PLEASE CONTACT US IMMEDIATELY AT (703-816-4000). Loretta Bayett FACSIMILE OPERATOR	
ATTACHMENT/S:	
MESSAGE:	

CONFIDENTIALITY NOTE

The documents accompanying this facaimile transmission contain information belonging to Nixon & Vandernye, which is confidential and/or legally The cocuments accompanying this received for the use of the individual or entity named above. IF YOU ARE NOT THE NAMED RECIPIENT, YOU privileged. This information is only intended for the use of the individual or entity named above. IF YOU ARE NOT THE NAMED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISCLOSURE, COPYING, DISTRIBUTION OR TAKING OF THIS INFORMATION FOR ANY USE WHATSOEVER IS STRICTLY PROHIBITED. If you have received this facsimile in error, please immediately contact us by telephone to arrange for INFORMATION OF THE PROHIBITED.

RECEIVED CENTRAL FAX CENTER

AUG 3 1 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

JACOBS et al.

Atty. Ref.: 227-142

Serial No. 09/913,954

TC/A.U.: 1634

Filed: December 4, 2001

Examiner: S.A. Sakelaris

For: METHOD OF DIAGNOSING AND SCREENING FOR MALE INFERTILITY THROUGH MUTATIONS IN POLG

August 31, 2004

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

LETTER

This is to advise that an Information Disclosure Statement was inadvertently filed in the above-identified application on July 28, 2004. The Information Disclosure Statement was intended to accompany an Amendment in Serial No. 10/257,250, filed January 10, 2003, entitled "Air-Conditioning Duct System." The above-identified application, Serial No. 09/913,954, was allowed on July 1, 2004, and it is requested for the Examiner to disregard the incorrectly filed Information Disclosure Statement.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By:

Michael J. Keenan

Reg. No. 32,106

MJK:ljb

1100 North Glebe Road, 8th Floor

Arlington, VA 22201-4714

Telephone: (703) 816-4000

Facsimile: (703) 816-4100

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.